

***Cleo* VLPProxy™**

Release Notes

Version 4.0



August 2026

RESTRICTED RIGHTS

Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (C)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227 - 7013.

Cleo

4949 Harrison Avenue, Suite 200
Rockford, IL 61108 USA
Phone: +1.815.654.8110
Fax: +1.815.654.8294
Email: sales@cleo.com
www.cleo.com

Support: 1.815.282.7894, 1.866.444.2536 (US only), 02038653439 (UK), or support@cleo.com

Cleo reserves the right to, without notice, modify or revise all or part of this document and/or change product features or specifications and shall not be responsible for any loss, cost or damage, including consequential damage, caused by reliance on these materials.

This document may not be reproduced, stored in a retrieval system, or transmitted, in whole or in part, in any form or by any means (electronic, mechanical, photo-copied or otherwise) without the prior written permission of Cleo.

© 2003-2026 Cleo. All rights reserved. Cleo is a trademark of Cleo. Cleo Harmony, Cleo VLTrader, and Cleo LexiCom are registered trademarks of Cleo.

All other marks are the property of their respective owners.

VLProxy Version 4.0 release notes

Cleo VLProxy is a firewall proxy tool that allows you to place Cleo Harmony, Cleo LexiCom, or Cleo VLTrader inside the firewall and keep your documents secure while communicating with your trading partners. Cleo VLProxy is an HTTP forward and reverse proxy designed specifically for use with Cleo VersaLex. Cleo VLProxy normally runs in the DMZ (demilitarized zone) and forwards requests between Cleo VersaLex inside the company (behind the firewall) and external hosts on the Internet.

Cleo Technical Support

Standard Cleo Technical Support is available from 7am - 7pm CST, Monday through Friday. Support availability might differ depending on your support package.

Training and a support subscription are required to work with a Cleo technical support analyst for all products, except Cleo LexiCom.

When contacting the Cleo support team, have your contact information, the name of product you are calling about, and your serial number, if available. During the support process we may request additional information (for example, a support bundle) that will vary depending on the type of request or issue.

Requests are handled on a callback basis in the order they are received. The Cleo support answering service or web form will collect your information and your request will be placed in our callback queue.

To contact Cleo Technical Support:

- Use the request form at: <https://support.cleo.com/hc/en-us>.
- Call us:
 - 1-815-282-7894
 - US (toll free): 1-866-444-CLEO(2536)
 - UK: 02038653439

What's new in version 4.0

Cleo VLProxy version 4.0 is released in tandem with Cleo Harmony, Cleo VLTrader, and Cleo LexiCom versions 6.0.

This update contains security related improvements. For customer protection, Cleo does not disclose all security update details. For further information, please contact customer support. For critical security updates or if there is a known exploit, Cleo will publish a security bulletin and notify customers.



Note: VLProxy version 4.0, or later, is required for Cleo Harmony, Cleo VLTrader, and Cleo LexiCom 6.0.

Update history

The following section contain descriptions of enhancements, bug fixes, and known issues in version 4.0.

Enhancements and fixed issues in Version 4.0

- The `conf/VLProxy.properties` file is no longer encrypted. As a result, a configuration password is no longer required.